



Spend your time doing the things you love

Enjoy life outside with a top quality garden building from Log Cabin Stores



Established in 1984


Bringing joy to your garden



PARIS 28mm

| | |
|----------------|-------------------|
| Wall thickness | 28mm |
| Base measures | 2.4m x 2.4m |
| Log measures | 2.6m x 2.6m |
| Wall height | 1.94m |
| Ridge height | 2.22m |
| Area | 5.5m ² |


- Single glazed, single door and one tilt 'n' turn opening window
- Felt shingle included
- Additional windows optional



NAPLES 28mm

| | |
|-------------------|-------------------|
| Wall thickness | 28mm |
| Base measures | 2.7m x 2.4m |
| Log measures | 2.9m x 2.6m |
| Front wall height | 2.10m |
| Rear wall height | 1.88m |
| Area | 6.2m ² |


- Pent roof for lower profile
- Single glazed double doors
- Supplied with roofing felt
- Additional windows optional



MADRID 28mm

| | |
|----------------|-------------------|
| Wall thickness | 28mm |
| Base measures | 3m x 2.4m |
| Log measures | 3.2m x 2.6m |
| Wall height | 1.94m |
| Ridge height | 2.45m |
| Area | 6.9m ² |


- Half glazed double doors
- Felt shingle included
- Additional windows optional



LYONS 28mm

| | |
|----------------|-------------------|
| Wall thickness | 28mm |
| Base measures | 2.75m x 2.75m |
| Log measures | 2.95m x 2.95m |
| Highest point | 2.5m |
| Area | 7.3m ² |

- This building can be built with the doors and window on any of the four sides
- This building does not have a floor




Find your own place to unwind



ATLANTA 28mm

| | |
|----------------|-------------|
| Wall thickness | 28mm |
| Base measures | 3.6m x 3m |
| Log measures | 3.8m x 3.2m |
| Wall height | 2.05m |
| Ridge height | 2.5m |
| Canopy | 90cm |


- Single glazed
- One single window
- Felt shingle included



CABIN EXTENSION 28mm

| | |
|-------------------|-------------------|
| Wall thickness | 28mm |
| Log measures | 2.35m x 1.6m |
| Floor/roof boards | 19mm |
| Area | 3.1m ² |


- Fits cabins with suitable roof line
- Reversible left to right
- Felt shingle included



MONACO 28mm

| | |
|----------------|-------------------|
| Wall thickness | 28mm |
| Base measures | 2.8m x 2.8m |
| Log measures | 3m x 3m |
| Wall height | 2.17m |
| Ridge height | 2.85m |
| Area | 6.8m ² |


- Two deep glazed double doors
- Two tall double windows
- Felt shingle included



ORLANDO 28mm

| | |
|----------------|--------------------|
| Wall thickness | 28mm |
| Base measures | 4.3m x 2.8m |
| Log measures | 4.5m x 3m |
| Wall height | 2.17m |
| Ridge height | 2.85m |
| Area | 10.7m ² |

- Two deep glazed double doors
- Two tall double windows
- Separate integral storage area
- Can be built reversed
- Felt shingle included




Treat your family to the fun of outdoors



SEVILLE 34mm

| | |
|----------------|--------------------|
| Wall thickness | 34mm |
| Base measures | 3.6m x 3m |
| Log measures | 3.8m x 3.2m |
| Wall height | 2.05m |
| Ridge height | 2.5m |
| Canopy | 70cm |
| Area | 10.4m ² |


- Single glazed double doors and one single window
- Additional windows optional



BIARRITZ 34mm

| | |
|----------------|--------------------|
| Wall thickness | 34mm |
| Base measures | 4.5m x 3.3m |
| Log measures | 4.7m x 3.5m |
| Wall height | 2.05m |
| Ridge height | 2.68m |
| Canopy | 70cm |
| Area ca | 14.3m ² |


- Half glazed double doors
- One double window and solid single door
- Felt shingle included
- Can be built reversed



LISBON 34mm

| | |
|----------------|--------------------|
| Wall thickness | 34mm |
| Base measures | 4.8m x 3.6m |
| Log measures | 5m x 3.8m |
| Wall height | 2.05m |
| Ridge height | 2.5m |
| Canopy | 90cm |
| Area | 16.8m ² |


- Double glazed double doors
- Two single windows
- Additional windows available



MARSEILLES 34mm

| | |
|----------------|--------------------|
| Wall thickness | 34mm |
| Base measures | 3.3m x 4.6m |
| Log measures | 3.5m x 3.5m |
| Wall height | 2.05m |
| Ridge height | 2.57m |
| Canopy | 1.4m |
| Area | 10.4m ² |

- Comes with Veranda
- Shutters included
- Felt shingle included



A choice for every generation




MINI PENTHOUSE

34mm

| | |
|----------------|--------------------|
| Wall thickness | 34mm |
| Base measures | 4m x 3m |
| Log measures | 4.2m x 3.2m |
| Wall height | 2.34m |
| Ridge height | 2.5m |
| Area | 11.5m ² |

- 3/4 glazed double doors
- Eight opening windows
- Under 2.5m high
- Felt shingle included




LONDON

34mm

| | |
|----------------|-------------------|
| Wall thickness | 34mm |
| Base measures | 303 diameter |
| Wall height | 2.27m |
| Ridge height | 3.36 |
| Area | 7.6m ² |

- 3/4 glazed windows & doors
- Felt shingle included




MINI CLOCKHOUSE

34mm

| | |
|----------------|--------------------|
| Wall thickness | 34mm |
| Base measures | 4m x 3m |
| Log measures | 4.2m x 3.2m |
| Wall height | 2.34m |
| Ridge height | 3.42m |
| Area | 11.5m ² |

- 3/4 glazed double doors
- Eight opening windows
- Tall pitch for airy feel
- Felt shingle included




VERONICA

34mm

| | |
|----------------|-------------------|
| Wall thickness | 34mm |
| Base measures | 289 diameter |
| Wall height | 2.15m |
| Ridge height | 3.10m |
| Area | 6.7m ² |

- Available with 2 or 4 pairs of windows
- Felt shingle included



A special place to bring you together




PENTHOUSE

44mm

| | |
|----------------|--------------------|
| Wall thickness | 44mm |
| Base measures | 5.3m x 3.8m |
| Log measures | 5.5m x 4m |
| Wall height | 2.22m |
| Ridge height | 2.5m |
| Area | 19.4m ² |

- Full height double glazed doors and eight double glazed opening windows
- Felt shingle included
- Under 2.5m tall




CRETE

44mm

| | |
|------------------|--------------------|
| Wall thickness | 44mm |
| Base measures | 3.6m x 3.6m |
| Log measures | 3.8m x 3.8m |
| Side wall height | 2.05m |
| Ridge height | 2.56m |
| Canopy roof | 1.5m |
| Area | 12.3m ² |

- Double glazed doors and window
- Felt shingle included
- Single door, double window option




CLOCKHOUSE

44mm

| | |
|----------------|--------------------|
| Wall thickness | 44mm |
| Base measures | 5.3m x 3.8m |
| Log measures | 5.5m x 4m |
| Wall height | 2.22m |
| Ridge height | 3.53m |
| Area | 19.4m ² |

- Full height double glazed doors and eight double glazed opening windows
- Felt shingle included



BARBADOS 3

44mm

| | |
|------------------|--------------------|
| Wall thickness | 44mm |
| Base measures | 3.09m x 3.99m |
| Log measures | 3.29m x 4.19m |
| Side wall height | 2.34m |
| Ridge height | 2.57m |
| Canopy roof | 80cm |
| Area | 11.7m ² |

- Can be built under 2.5m high
- Pent style roof
- Rolled felt roof included




A space you can call your own



LILLIAN 44mm

| | |
|----------------|-------------------|
| Wall thickness | 44mm |
| Base measures | 3m x 3.6m |
| Log measures | 3.2m x 3.8m |
| Wall height | 2.05m |
| Ridge height | 2.57m |
| Area | 6.1m ² |


- Can be built to 2.5m
- Single Glazed Double doors and double window
- Felt shingle included



THE SYDNEY PAVILLION

| | |
|--------------|-------------------|
| Posts | 120mm |
| Wall height | 2.04m |
| Ridge height | 3.13m |
| Area | 9.9m ² |
| Diam | 3.37m |


- Supplied with decking floor
- Felt Shingle included



THE SPA BUILDING 28mm

| | |
|----------------|--------------------|
| Wall thickness | 28mm |
| Base measures | 3.3m x 3.3m |
| Log measures | 3.5m x 3.5m |
| Wall height | 2.17cm |
| Ridge height | 3m |
| Area | 10.5m ² |


- Supplied with floor
- Felt shingle included



THE MELBOURNE PAVILLION

| | |
|--------------|------------------|
| Posts | 120mm |
| Wall height | 2.07m |
| Ridge height | 3.46m |
| Area | 18m ² |
| Diam | 4.65m |

- Supplied with decking floor
- Felt Shingle included




Let them discover the world outside



SORRENTO 44mm

| | |
|----------------|-------------------|
| Wall thickness | 44mm |
| Base measures | 3.3m x 3.3m |
| Log measures | 3.5m x 3.5m |
| Wall height | 2.33m |
| Total height | 3.25m |
| Area | 9.6m ² |


- Attractive 'corner' design
- Double glazed doors and windows
- Felt shingle included



THE GAMES ROOM 44mm

| | Milan | Turin |
|----------------|--------------------|--------------------|
| Wall thickness | 44mm | 44mm |
| Base measures | 3.6m x 5.5m | 4.5m x 5.5m |
| Log measures | 3.8m x 5.7m | 4.7m x 5.7m |
| Wall height | 2.17m | 2.17m |
| Ridge height | 2.68m | 2.79m |
| Area | 18.9m ² | 23.8m ² |


- Double glazed doors and window
- Felt shingle included
- Floor included



CORDOBA 44mm

| | |
|----------------|--------------------|
| Wall thickness | 44mm |
| Base measures | 3.3 x 3.3m |
| Log measures | 3.5 x 3.5m |
| Wall height ca | 2.22m |
| Total height | 3.10m |
| Area ca | 10.3m ² |


- Double glazed doors and windows
- Two full height fixed windows
- Extra windows available
- Felt shingle included



THE VENICE 70mm

| | |
|----------------|--------------------|
| Wall thickness | 70mm |
| Base measures | 5.4m x 5.4m |
| Log measures | 5.6m x 5.6m |
| Wall height ca | 2.3m |
| Ridge height | 3.04m |
| Area ca | 27.6m ² |

- Double glazed windows and doors
- Felt shingle included
- Floor included




A secure home for your pride & joy



THE SINGLE GARAGE 44mm

| | Milan | Turin |
|----------------|--------------------|--------------------|
| Wall thickness | 44mm | 44mm |
| Base measures | 3.6m x 5.5m | 4.5m x 5.5m |
| Log measures | 3.8m x 5.7m | 4.7 x 5.7m |
| Wall height | 2.17m | 2.17m |
| Ridge height | 2.68m | 2.79m |
| Area | 18.9m ² | 23.8m ² |


- Includes single door and double window
- Felt shingle included
- Floor not included



THE NOVEL GARAGE 44mm

| | |
|----------------|------------------|
| Wall thickness | 44mm |
| Base measures | 3.6m x 5.5m |
| Log measures | 3.8m x 5.7m |
| Roof height | 2.43m |
| Area | 19m ² |


- Single glazed glass throughout
- Felt shingle included



VERONA DOUBLE GARAGE 44mm

| | |
|----------------|--------------------|
| Wall thickness | 44mm |
| Base measures | 5.75m x 5.1m |
| Log measures | 5.95m x 5.3m |
| Wall height ca | 2.17m |
| Ridge height | 3.02m |
| Area ca | 28.4m ² |


- Includes single door and double window
- Felt shingle included
- Floor not included



THE LYNDHURST GARAGE 70mm

| | |
|----------------|--------------------|
| Wall thickness | 70mm |
| Base measures | 5.8m x 5.8m |
| Log measures | 6 x 6m |
| Ridge height | 3.6m |
| Area | 32.5m ² |

- Felt shingle included
- Floor not included




Fun & games, inside & out



BARCELONA 70mm

| | |
|------------------|--------------------|
| Wall thickness | 70mm |
| Base measures | 4.5m x 3.6m |
| Log measures | 4.7m x 3.8m |
| Side wall height | 2.16m |
| Total height | 2.75m |
| Canopy roof | 1.5cm |
| Area | 15.1m ² |

- Double glazed double doors and two double windows
- Other sizes available on request



THE WINCHESTER 58mm

| | |
|----------------|--------------------|
| Wall thickness | 58mm |
| Base measures | 4.5m x 5.7m |
| Log measures | 4.7m x 5.9m |
| Wall height | 2.22m |
| Ridge height | 3.58m |
| Area | 24.5m ² |


- Loft sleeping area
- Two additional rear rooms
- Double glazed glass throughout
- Felt shingle included



OFFICE POD 107mm

| | |
|----------------|--------------------|
| Wall thickness | 107mm |
| Base | 4.53m |
| Total height | 2.81m |
| Area | 13.6m ² |

- PVC roof covering
- Guttering included
- Full insulation for roof, floor and walls available
- Double glazed



THE ODESSA WEEKEND HOUSE 70mm

| | |
|----------------|--------------------|
| Wall thickness | 70mm |
| Wall height | 2.7m |
| Ridge height | 3.38m |
| Area | 27.6m ² |

- Felt shingle included
- Top quality double glazed windows and doors



Bespoke Log cabins



While we have an extensive range of 'standard' log cabins that will suit many customers, we do appreciate that sometimes a special or unique building is needed to fulfill particular requirements.



At **STABLE STRUCTURES**, we are rightly proud of our many years of experience guiding our customers through the various complexities of creating their own particular and special "Bespoke" log cabin.



Whether you need a home office, a workroom or simply a spare room in the garden for the kids, let us show you how you can turn your ideas into a wonderful reality.

We can supply buildings in a variety of log thicknesses from 44mm to 114mm

Fitting your cabin

Quality from Start to Finish

BASE WORK

It is particularly important that the base of your new cabin is flat, level, square and even over the entire area – we recommend a concrete slab preferably the same size as the cabin floor so to prevent water getting onto the base. While we are delighted for you to use your own contractor, we work very closely with our approved landscapers whose quality of service and reliability is second to none. This also gives you the benefit of having us retain full control over all aspects of the installation of your new building, allowing you to relax in the knowledge that everything is being handled for you.



DELIVERY

All deliveries are made on our own vehicles and are usually offloaded by a HIAB crane, so please let us know if there are any obstacles or overhead cables that might affect this service. If you think access to your property for our larger delivery lorries may be difficult - **PLEASE** talk to us well in advance. Our Transport Manager can then assess the situation, as a pre-delivery site-visit may have to be arranged.

FITTING SERVICE

We provide an excellent cabin fitting service and pride ourselves on the quality of our work and our aftercare services. Your cabin will be installed efficiently by one of our experienced teams to ensure that your new building is finished to the highest standard.



Call us
for more
information

See back page
for details

Cabin insulation



Cool summers, Warm Winters

INSULATION

To ensure your cabin is cosy in winter and cool in summer, we recommend the addition of insulation beneath the floor and over the roof at the time of fitting.

FLOORS

The floors are insulated with a 25mm foil backed solid foam board, which is kept off the concrete by pressure treated battens, creating a void which allows air to circulate keeping the floor ventilated and dry.

ROOFS

The roofs are insulated with a 25mm foil backed solid foam board, held in place by a pressure treated batten and then topped of with a 12mm ply wood board.

The felt shingles are then applied to the ply wood. The finished thickness of the cabin roof is 56mm, to create a thick barrier from the heat of the sun.



Finished projects



Call us
for more
information

See back page
for details

Quality Garden Sheds

COLBY

- No windows
- Fully treated
- Shiplad Cladding

AVAILABLE FROM STOCK



CONWAY

- 1.75m eaves
- 2.06m ridge
- 910mm wide door
- 38 x 50mm framing



WINDSOR

- 1.9m front eave
- 1.88m rear eave
- 910mm wide door
- 38 x 50mm framing
- Alternative door positions available



HOBBY

- 1.83m eaves
- 2.06m ridge
- 910mm wide door
- 38 x 50mm framing
- Front and side windows



TOOLSTORE

- 1.52m front eave
- 1.65m rear eave
- 1.22m double doors
- 38 x 50mm framing
- Ideal for storing garden tools



CONISBRO

- 1.65m eaves
- 1.98m ridge
- 910mm wide door
- 38 x 50mm framing



BUCKINGHAM

- 1.88m eaves
- 2.24m ridge
- 1.22m double door
- 40 x 60mm framing

WORKSHOP QUALITY



SANDAL

- 1.88m front eave
- 1.70m rear eave
- 910mm wide door
- 38 x 50mm framing
- Alternative door positions available



POTTING

- 2.08m front eave
- 1.96m rear eave
- 910mm stable door
- 38 x 50mm framing
- Full frontal glass
- Includes staging



LEEDS

- 1.65m eaves
- 2.08m ridge
- 910mm wide door
- Leaded windows
- 300mm overhang
- Antique hinges



Choose a garden shed or garden building that's as individual as you are

SUMMER HOUSES

BRECON

- 1.90m eaves
- 2.29m ridge
- Double doors and 4 opening windows
- Optional veranda



DOVER

- 1.90m eaves
- 2.29m ridge
- Georgian bay window at front
- Single door
- Optional veranda



PEMBROKE

- 1.90m eaves
- 2.29m ridge
- Double Georgian doors and 4 opening windows
- Optional veranda



CORNERHOUSE

- 2.95m full height
- 2 Georgian windows and double doors
- Four sided pitched roof



WISTON

- 1.90m eaves
- 2.29m ridge
- 1 Double doors and 4 opening windows
- Optional veranda



HOBBY DELUXE

- 1.90m eaves
- 2.14m ridge
- 4 leaded windows
- Single solid door



WENTWORTH

- 1.90m eaves
- 2.29m ridge
- Double doors and 3 opening windows
- Optional veranda



OCTAGONAL CHALET

- 2.0m eaves
- 2.4m ridge
- 8 sided building
- Double doors and 4 windows



PLAY HOUSES

FELIX

- 1.8m x 1.8m base
- 1.17m eaves
- 1.69m ridge



SAM

- 1.6m x 1.6m bases
- 1.48m eaves
- 1.88m ridge



We supply a full range of log cabins,
sheds & summer houses.

Come and see at our
extensive display sites.

Telephone orders are welcome at all our sites or contact us by email:

Hurn - 01202 476912

Hurn Bridge, Hurn, Christchurch, Dorset BH23 6AE

Cadnam - 02380 812354

Cadnam Garden Centre, Southampton Road, Cadnam, Totton SO40 2NB

Yeovil - 01935 412241

Merlin Road, Lynx Trading Estate, Yeovil, Somerset BA20 2GZ

Wimborne - 01202 825293

John Browns Garden Centre, Three Legged Cross, Wimborne, Dorset BH21 6RD

Sidmouth Fencing Centre - 01395 568060

Hawkerland Rd, Colaton Raleigh, Sidmouth EX10 0HP

The Fencing Centre (Head Office) - 01202 579539

Chapel Lane, Parley, Christchurch, Dorset BH23 6BG

email: sales@stablestructures.co.uk www.stablestructures.co.uk

email: sales@fencingcentre.co.uk www.fencingcentre.co.uk



All prices include VAT. Some buildings are supplied on a crane lorry so they can only be placed near the vehicle. When a vehicle is invited onto a customer's property, it is done so at the customer's own risk and no liability can be accepted for damage howsoever caused.

Timber is a natural product and will be subject to some movement.